


15. 金型パターン (P9~23)

穴径 (φ) ピッチ (P)


金型パターンの見方




カタログに掲載しております金型パターンは、全て実寸です。

丸穴 0.35φ~1.2φ


Na2002 D=0.35 P=1.05 60°チドリ




Na2003 D=0.4 P=1.22 60°チドリ




Na2004 D=0.45 P=1.0 60°チドリ




Na2005 D=0.5 P=1.0 60°チドリ




Na2006 D=0.55 P=1.09 60°チドリ




Na2007 D=0.63 P=1.22 60°チドリ




Na2008 D=0.75 P=1.19 60°チドリ




Na2009 D=0.8 P=1.5 60°チドリ




Na2020 D=1 P=1.5 60°チドリ




Na2025 D=1 P=2 60°チドリ



Na2026 D=1.2 P=1.8 60°チドリ



Na2027 D=1.2 P=2.25 60°チドリ



総合金網・パンチングメタルメーカー 株式会社 奥谷金網製作所


神戸本社・ショールーム
姫路営業所

TEL078-351-2531
TEL079-288-0458

FAX078-361-1484
FAX079-288-2077


丸穴 1.5φ~3.5φ

Na2028 D=1.5 P=2 60°チドリ




⑤ 51.0%

Na2029 D=1.5 P=2.25 60°チドリ




⑤ 40.3%

Na2030 D=1.5 P=2.7 60°チドリ




28.0%

Na2031 D=1.5 P=3 60°チドリ




⑤ 22.7%

Na2033 D=2 P=3 60°チドリ




⑤ 40.3%

Na1020 D=2 P=3.5 60°チドリ




⑤ 29.6%

Na1022 D=2 P=4 60°チドリ




22.7%

Na2034 D=2.5 P=3.5 60°チドリ




46.2%

Na2038 D=2.5 P=4 60°チドリ




⑤ 35.4%

Na1025 D=2.5 P=5 60°チドリ




22.7%

Na2035 D=3 P=4 60°チドリ




⑤ 51.0%

Na2036 D=3 P=4.5 60°チドリ




⑤ 40.3%

Na1027 D=3 P=5 60°チドリ




⑤ 32.6%

Na1030 D=3 P=6 60°チドリ




22.7%

Na2037 D=3 P=10 60°チドリ



8.2%


Na1034 D=3.5 P=6.5 60°チドリ



26.3%


丸穴 4φ~8φ

No2043 D=4 P=6 60°チドリ




④ 40.3%

No1035 D=4 P=7 60°チドリ




④ 29.6%

No1037 D=4.5 P=7 60°チドリ




④ 37.4%

No2050 D=5 P=6.5 60°チドリ




④ 53.6%

No2051 D=5 P=7 60°チドリ




④ 46.2%

No1039 D=5 P=8 60°チドリ




④ 35.4%

No1040 D=5 P=10 60°チドリ




④ 22.7%

No2055 D=5 P=10 角チドリ




④ 39.3%

No2057 D=6 P=8 60°チドリ




④ 51.0%

No1042 D=6 P=9 60°チドリ




④ 40.3%

No1045 D=7 P=10 60°チドリ




④ 44.4%

No2060 D=7 P=12 60°チドリ




④ 30.8%

No2065 D=8 P=10 60°チドリ




④ 58.0%

No1047 D=8 P=12 60°チドリ




④ 40.3%

No2067 D=8 P=13 60°チドリ



④ 34.3%


No1048 D=8 P=15 60°チドリ



④ 25.8%


丸穴 9φ~13φ

No2070 D=9 P=13 60°チドリ




43.4%

No2075 D=10 P=12.5 60°チドリ




58.0%

No2076 D=10 P=12.5 並列




50.2%

No2077 D=10 P=13 60°チドリ




53.6%

No1049 D=10 P=15 60°チドリ




40.3%

No1050 D=10 P=20 60°チドリ




22.7%

No2080 D=11.5 P=14 60°チドリ




61.1%

No1052 D=12 P=16 60°チドリ



51.0%

No2082 D=12 P=18 60°チドリ



40.3%

総合金網・パンチングメタルメーカー 株式会社 奥谷金網製作所

神戸本社・ショールーム
姫路営業所


TEL078-351-2531
TEL079-288-0458

FAX078-361-1484
FAX079-288-2077

丸穴 28φ~50φ

No1072


D=28 P=40 60°チドリ



44.4%

No1074

D=30 P=45 60°チドリ



40.3%

No1075

D=35 P=50 60°チドリ



44.4%

No2095

D=40 P=55 60°チドリ



47.9%

No2100

D=45




No1076

D=50




丸穴 14φ~25φ

No1056 D=14 P=22 60°チドリ



36.7%


No2084 D=15 P=20 60°チドリ



(在)

51.0%


No1058 D=16 P=20 60°チ



(在)


58

No2085 D=16 P=21 60°チドリ




52.6%

No1059 D=17 P=24 60°チドリ




45.5%

No1060 D=18 P=26 60°チ



43


No2090 D=20 P=30 60°チドリ



(在)

40.3%

No1069 D=25 P=35 60°チドリ




46.2%

丸穴 28φ~50φ

No1072


D=28 P=40 60°チドリ



44.4%

No1074

D=30 P=45 60°チドリ



40.3%

No1075

D=35 P=50 60°チドリ



44.4%

No2095

D=40 P=55 60°チドリ



47.9%

No2100

D=45



No1076

D=50

